5. REFERENCES:

1.Jain NK.(2006). “Pharmaceutical Product Development”.CBS publishers and Distributors. New Delhi, 1st ed.: 26-35.

2. Mark G.(2004). “Pharmaceutical preformulation and formulation. A practical guide from candidate drug selection to commercial dosage form”Interpharm. / CRC, New York: 21-95.

3. Rasenack N Muller W. (2002).“Dissolution Rate Enhancement by *inSitu*Micronization ofPoorlyWater-Soluble Drugs”. *Pharmaceutical Research: 19: 219-232.*

4. Serajuddin, ATM. (1999). “Solid dispersion of poorly water soluble drugs: early promises, Subsequent problems and recent breakthroughs”. *J. Pharm. Sci.:* 88: 1058–1066.

5. Temeljotov DF MOHAR M. et al.(1996).“Solubilization and dissolution enhancement for sparingly soluble fenofibrate”.*Acta Pharm.:* 46 (2): 131–136.

6.GoldbergAHGibaldi M. et al. (1966).“Increasing dissolution rates and gastrointestinal absorption of drugs via solid solutions and eutectic mixtures II. Experimental evaluation of eutectic mixtures urea: acetaminophen system”. *J. Pharm. Sci.*: 55: 482–487.

7.ALEXANDER T., 2005, Nanoparticle uptake by the oral route: Fulfilling its potential, *Drug Discovery today* 2, 75-81.

8. Kreuter J.(2007).“Nanoparticles-a historical perspective”.*International Journal of Pharmaceutics:*331: 1–10.

9. HecqJDeleers M. (2005). “Preparation and characterization of nanocrystals for solubilityand dissolution rate enhancement of nifedipine”.*International Journal of Pharmaceutics:* 299: 167–177.

10. Zhang X. et al. (2006).“Preparation of All-Trans Retinoic AcidNanosuspensions Using a ModifiedPrecipitationMethod”.Drug Development and Industrial Pharmacy, 32:857–863.

11.Kathleen D.(2006). “Prepared positively charged ciprofloxacin-loaded nanoparticles providing a controlled release formulation”. *Control Drug Delivery:* 34: 290-297.

12.Wong, SM. (2006). “Enhancement of the dissolution rate and oral absorption of poorly water soluble drug by formation of surfactant-containing microparticles”.*Int. J. Pharm.*: 371: 61-68.

13.MohanrajVJ.(2006).“Nanoparticles – A Review”.*Tropical Journal of Pharmaceutical Research:* 5 (1): 561-573.

14. Rane Y. (2007). “Effect of Hydrophilic Swellable Polymers on Dissolution Enhancement of Carbamazepine Solid Dispersions Studied Using Response Surface Methodology”.*AAPSPharmSciTech.:* 8.

15.WeilingH Steven W. (2007).“Improved bioavailability of orally administered mifepristone from PLGA nanoparticles”.*International Journal of Pharmaceutics:* 334: 173–178.

16. Jenkins. (2007).“NanoparticulateTadalafil formulations”. US patent no:US 20070104792Al.

17.MeenaAK.Et al.(2008). “Oral Nanoparticulate Atorvastatin Calcium is More Efficient and Safe in Comparison to Lipicurein Treating Hyperlipidemia”.*Lipids:* 43: 231–241.

18. Lei Gao et al. (2008).“Drug nanocrystals for the formulation of poorlysolubledrugs and its application as a potential drug delivery system”.JNanopart Res (2008) 10:845–862.

19. Katteboinaa S et al.(2009). “Drug Nanocrystals:A Novel Formulation Approach For PoorlySoluble Drugs”. International Journal of PharmTech Research:1(3):682-694

20. George Het al. (2010).“Nanoparticles as a Novel Delivery Vehicle for Therapeutics Targeting Erectile Dysfunction”. J Sex Med.: 7: 224–233.

21.Lakshmi P. et al. (2010). “NANO-SUSPENSION TECHNOLOGY: A REVIEW”. International Journal of Pharmacy and Pharmaceutical Sciences, 2 (4): 35-40.

22. Hans et. al. (2011).“Bottom-Up Preparation Techniques for Nanocrystals of Lipophilic Drugs”.Pharm Res (2011) 28:1220–1223.

23. S.F. Chin et al. (2011). “Size controlled synthesis of starch nanoparticles by a simple nanoprecipitation method.” Carbohydrate Polymers, 86:1817– 1819.

24.Sling Wang et al (2012). “Drug nanocrystals: a state of the art formulation strategy for preparing the poorly water-soluble drugs.” Asian Journal of Pharmaceutical Sciences 7 (2): 85-95.

25.Vijaykumar et al. (2012).“Drug Nanoparticles - An Overview.” The Delivery of Nanoparticles: 111- 132.

26.KatharinaAnhalt (2012). “Oral nanocrystal formulations and their biopharmaceutical

characterization.”Combined Faculties of the Natural Sciences and Mathematics of the Ruperto-Carola-University of Heidelberg, Germany.

27. Ulrich S. S. (2012). “Nanoprecipitation: An Efficient Technique For The Preparation Of Versatile Polymeric Nanoparticles”. International journal of pharmaceutical research, 17:232-240.

28. Fillipscei et al. (2012).“Nanostructuredsildenafil base, its pharmaceutically acceptable salts, and co-crystals,composition of them process for preparation thereof and pharmaceutical compositions of containing them”. US Patent no: US20120128740.

29. Podobinski et al. (2012). “Methods And Systems For Generating Nanoparticles”. US Patent no:US008207290B2

30. Vivekkumar et al. (2010). “Nanoparticle Formulation for Hydrophilic & Hydrophobic Drugs”. Int. J. Res. Pharm. Sci. 1(2):163-169.

31. Fillipscei et al. (2012).“Nanostructuredsildenafil base, its pharmaceutically acceptable salts, and co-crystals,composition of them process for preparation thereof and pharmaceutical compositions of containing them”. US Patent no: US20120128740.

32. Ulrich S. S. (2012). “Nanoprecipitation: An Efficient Technique For The Preparation Of Versatile Polymeric Nanoparticles”. International journal of pharmaceutical research, 17:232-240.